TC2600

U. S. DEPARTMENT OF COMMERCE Organization

COMMISSIONER FOR PATENTS

P.O. BOX 1450

ALEXANDRIA, VA 22313-1450

" IF UNDELIVERABLE RETURN IN TEN DAYS

OFFICIAL BUSINESS



Technology Center 2600















































# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.			
09/749,832	12/27/2000	Barry Wynn Albright	US000399	5207			
75	590 03/10/2005	EXAMINER					
PHILIPS ELE 580 WHITE PL		HAMERICAN CORP	NALEVANKO, C	HRISTOPHER R			
TARRYTOWN			ART UNIT	PAPER NUMBER			
	•		2611				

DATE MAILED: 03/10/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

RECEIVED

MAR 2 9 2005

Technology Center 2600

<del> </del>		Application N	lo.	Applicant(s)			
		09/749,832		ALBRIGHT, BARRY WYNN			
	Office Action Summary	Examiner		Art Unit			
		Christopher R		2611			
Period fo	The MAILING DATE of this communication or Reply	appears on the co	ver sheet with the c	correspondence address			
A SHO THE N - Exten efter: - If the - If NO - Failur Any r	ORTENED STATUTORY PERIOD FOR RIMAILING DATE OF THIS COMMUNICATION IS SIX (6) MONTHS from the mailing date of this communication period for reply specified above is less than thirty (30) days, period for reply is specified above, the maximum statutory period for reply within the set or extended period for reply will, by seply received by the Office later than three months after the lead patent term adjustment. See 37 CFR 1.704(b).	ON. FR 1.136(a). In no event, h in. a reply within the statutory eriod will apply and will ex	nowever, may a reply be til minimum of thirty (30) day bire SIX (6) MONTHS from on to become ABANDONE	mely filed  ys will be considered timely.  n the mailing date of this communication.  ED (35 U.S.C. § 133).			
Status							
•	Responsive to communication(s) filed on 1						
	71110 0001011 10 1 11 11 11 11	This action is non-		and the second second			
3)□	Since this application is in condition for all closed in accordance with the practice unc						
Dispositi	ion of Claims						
5)□ 6)⊠ 7)□	Claim(s) 1-25 is/are pending in the applicated 4a) Of the above claim(s) is/are with Claim(s) is/are allowed.  Claim(s) 1-25 is/are rejected.  Claim(s) is/are objected to.  Claim(s) are subject to restriction as	hdrawn from consi					
Applicat	ion Papers						
	The specification is objected to by the Exa						
10)	The drawing(s) filed on is/are: a)	] accepted or b)□	objected to by the	Examiner.			
	Applicant may not request that any objection t	to the drawing(s) be I	neld in abeyance. S	ee 37 CFR 1.85(a).			
11)	Replacement drawing sheet(s) including the common the oath or declaration is objected to by the common terms of the common ter	correction is required the Examiner. Note	if the drawing(s) is of the attached Office	ce Action or form PTO-152.			
Priority	under 35 U.S.C. § 119						
a)	Acknowledgment is made of a claim for for for All b) Some * c) None of:  1. Certified copies of the priority docu 2. Certified copies of the priority docu 3. Copies of the certified copies of the application from the International E	uments have been uments have been e priority document Bureau (PCT Rule	received. received in Applica ts have been recei 17.2(a)).	ation No ved in this National Stage			
Attachme				(DTO 442)			
1) Noti	ice of References Cited (PTO-892) ice of Draftsperson's Patent Drawing Review (PTO-9-	4 48)	Interview Summa Paper No(s)/Mail	Date			
3) 🛛 Info	ice of Draftsperson's Patent Drawing Review (P10-5) rmation Disclosure Statement(s) (PTO-1449 or PTO/ ier No(s)/Mail Date <u>12/27/2000</u> .	(SB/08)		al Patent Application (PTO-152)			

Art Unit: 2611

### **DETAILED ACTION**

## Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

1. Claim 21 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Regarding Claim 21, the claim refers back to Claim 0, which is not a claim.

Appropriate correction is required.

\*\*\*The following art rejections are based on the Examiner's best understanding of the art in light of the above 35 USC 112 2<sup>nd</sup> paragraph rejection.

# Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 2. Claims 1, 3, 7-13, 22 and 24 are rejected under 35 U.S.C. 102(e) as being clearly anticipated by Grivna (6,385,745).

Art Unit: 2611

Regarding Claim 1, Grivna shows an apparatus comprising an inverted DVB-ASI signal (col. 2 lines 54-64, receiving both a true and compliment DVB-ASI stream), and an inverting adapter to invert the inverted DVB-ASI signal (col. 3 lines 1-65, producing a complimented inverted signal).

Regarding Claim 3, Grivna shows that the adapter inverts the DVB-ASI signal to produce an adapted signal (col. 3 lines 1-65, producing a complimented inverted signal), and the adapted signal is coupled to a monitor (col. 3 lines 30-45, output to state machine, col. 4 lines 38-45, state machine monitors data signal) and a network (col. 2 lines 60-63, col. 5 lines 35-40, outputting signal to SMPTE switches and routers).

Regarding Claim 7, Grivna shows a routing switcher (fig. 1, col. 2 lines 60-64, output port used to route DVB-ASI streams), the routing switcher coupled to an input DVB-ASI signal and producing an output DVB-ASI signal and the inverted DVB-ASI signal (col. 2 lines 54-64, receiving both a true and compliment DVB-ASI stream, col. 3 lines 1-65, producing a complimented inverted signal).

Regarding Claim 8, Grivna shows a serial digital video source (col. 1 lines 10-30, serial interface for producing digital serial video) that produces an encoded signal (col. 1 lines 20-25, MPEG2 encoding), wherein the SDV signal is coupled to the routing switcher (col. 2 lines 27-31, implemented using switches, lines 54-64, used to route DVB-ASI streams, col. 1 lines 30-61, routing switches used for digital video and DVB-ASI signals), wherein the routing switcher produces an output signal and an inverted signal (fig. 3 items 66, 68, 70, 72, 90, 92, col. 3 lines 10-25, regular signal input from

Art Unit: 2611

source and inverted signal from source). Furthermore, the DVB-ASI format is a serial digital video format.

Regarding Claim 9, Grivna shows the use of an encoder for encoding the signal (col. 1 lines 20-25, MPEG2 decoder).

Regarding Claim 10, Grivna shows a differential amplifier having an input coupled to the input DVB-ASI signal (fig. 3 items 74, 76, col. 3 lines 10-40) and having true and complement outputs (col. 2 lines 55-63, true and complement output streams), wherein the true output is the output DVB-ASI signal and the complement output is the inverted DVB-ASI signal (col. 2 lines 55-63, true and complement output streams).

Regarding Claim 11, Grivna shows that routing switches may be used in the adapter (col. 2 lines 27-32, implemented using switches) or that the entire adapter is used to route and switch DVB-ASI signals (col. 2 lines 55-63, route DVB-ASI, data streams). Also the adapter uses switches, as stated above, to route the correct signal (col. 3 lines 40-65, data may be switched between multiple sources).

Regarding Claim 12, Grivna shows a distribution amplifier (fig. 3 items 74, 76, col. 3 lines 10-40), the distribution amplifier coupled to an input DVB-ASI signal and producing an output DVB-ASI signal and the inverted DVB-ASI signal (col. 2 lines 55-63, true and compliment output streams).

Regarding Claim 13, Grivna shows the distribution amplifier comprises the inverting adapter (fig. 3 item 56, logic circuit comprises components including amplifiers).

Art Unit: 2611

Regarding Claim 22, the limitations of the claim have been discussed with regards to Claim 1.

Regarding Claim 24, the limitations of the claim have been discussed with regards to the apparatus of Claim 1.

# Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 2, 4-6, 14-20, 23, and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Grivna (6,385,745) in further view of Takahashi et al (2002/0145661).

Regarding Claim 2, Grivna shows the user of a transform coupled to the signal (col. 4 lines 14-18), but fails to specifically state using primary and secondary windings. Takahashi shows using primary and secondary windings in a transformer (page 8 section 0107, primary and secondary windings). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Grivna with primary and secondary windings, as in Takahashi, so that the correct signal was applied to the circuit. Furthermore, although not specifically stated in Grivna, it is expected in the art for transformers to have primary and secondary windings

Art Unit: 2611

Regarding Claim 4, Although Grivna fails to specifically state the windings, which are shown by Takahashi, Girvna shows that the opposite sides have opposite polarity (col. 3 lines 54-65, INA+ and INB-, INA- and INB+) and that the adapter inverts the signal to produce an adapted signal (col. 3 lines 1-65, producing a complimented inverted signal).

Regarding Claim 5, Although not specifically state in Grivna or Takahashi,

Official Notice is taken that it is well known and expected in the art to use a variety of windings ratios, including an equivalent number, in order to produce a desired signal. Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Grivana and Takahashi with the use of equivalent primary and secondary windings so that the adapted signal would be suitable for processing and use.

Regarding Claim 6, Grivna shows that the adapter comprises a body (fig. 3, logic circuit 56) and input output connectors (col. 3 lines 10-39, input and outputs), wherein the adapter is enclosed in the body (fig. 3, logic circuit 56), and the body is electrically and mechanically coupled to the inputs and outputs (fig. 3, logic circuit 56 is connected and coupled to the outputs of col. 3 lines 10-39, fig. 3 items 66, 68, 70, 72, 90, 92).

Regarding Claim 14, Grivna shows a system comprising a Digital Video Broadcast-Asynchronous Serial Interface (DVB-ASI) encoder producing a DVB-ASI output signal (col. 1 lines 20-25, MPEG2 encoded signal), amplification device comprising true and complement outputs (col. 2 lines 55-63, true and complement output streams) and an input coupled the DVB-ASI signal (fig. 3 items 74, 76, col. 3 lines 10-

Art Unit: 2611

40), the true output comprising the DVB-ASI signal and the complement output comprising an inverted DVB-ASI signal (col. 2 lines 53-63, compliment INA and INB input signals), and an inverting adapter comprising transformer, coupled to the inverted DVB-ASI signal (col. 4 lines 14-18), wherein a polarity of the secondary side is opposite to a polarity of the primary side (col. 3 lines 54-65, INA+ and INB-, INA- and INB+), whereby the inverting adapter inverts inverted DVB-ASI signal to create an adapted DVB-ASI signal (col. 3 lines 1-65, producing a complimented inverted signal). Grivna shows the user of a transform coupled to the signal (col. 4 lines 14-18, but fails to specifically state using primary and secondary windings. Takahashi shows using primary and secondary windings in a transformer (page 8 section 0107, primary and secondary windings). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Grivna with primary and secondary windings, as in Takahashi, so that the correct signal was applied to the circuit. Furthermore, although not specifically stated in Grivna, it is expected in the art for transformers to have primary and secondary windings.

Although not specifically state in Grivna or Takahashi, Official Notice is taken that it is well known and expected in the art to use a variety of windings ratios, including an equivalent number, in order to produce a desired signal. Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Grivana and Takahashi with the use of equivalent primary and secondary windings so that the adapted signal would be suitable for processing and use.

Art Unit: 2611

Regarding Claim 15, Grivna shows the use of a routing switcher (col. 2 lines 27-32, implemented using switches, col. 2 lines 55-63, route DVB-ASI, data streams, fig. 1, DVB switch) and amplifiers (fig. 3 items 74, 76, col. 3 lines 10-40).

Regarding Claim 16, Grivna shows the distribution amplifier comprises the inverting adapter (fig. 3 item 56, logic circuit comprises components including amplifiers).

Regarding Claim 17, Grivna shows that the adapter inverts the DVB-ASI signal to produce an adapted signal (col. 3 lines 1-65, producing a complimented inverted signal), and the adapted signal is coupled to a monitor (col. 3 lines 30-45, output to state machine, col. 4 lines 38-45, state machine monitors data signal) and a network (col. 2 lines 60-63, col. 5 lines 35-40, outputting signal to SMPTE switches and routers).

Regarding Claim 18, Grivna shows a serial digital video source (col. 1 lines 10-30, serial interface for producing digital serial video) that produces an encoded signal (col. 1 lines 20-25, MPEG2 encoding), wherein the SDV signal is coupled to the routing switcher (col. 2 lines 27-31, implemented using switches, lines 54-64, used to route DVB-ASI streams, col. 1 lines 30-61, routing switches used for digital video and DVB-ASI signals), wherein the routing switcher produces an output signal and an inverted signal (fig. 3 items 66, 68, 70, 72, 90, 92, col. 3 lines 10-25, regular signal input from source and inverted signal from source). Furthermore, the DVB-ASI format is a serial digital video format. Grivna further shows the use of an encoder for encoding the signal (col. 1 lines 20-25, MPEG2 decoder).

Art Unit: 2611

Regarding Claim 19, Grivna shows an inverting adaptor for DVB-ASI signals (col. 3 lines 1-65, producing a complimented inverted signal), the inverting adapter comprising transformer (col. 4 lines 14-18), wherein each side comprise positive and negative connections (col. 3 lines 54-65, INA+ and INB-, INA- and INB+), whereby polarity of secondary side is opposite polarity of the primary side (col. 3 lines 54-65, INA+ and INB-, INA- and INB+), input coupling adapted accept a DVB-ASI signal and comprising an input shell and an input interconnection device (fig. 3 items 66, 68, 70, 72, col. 3 lines 5-30, input connections), wherein the input shell is electrically and mechanically coupled to the body (fig. 3 item 56, col. 2 lines 65-67, logic circuit), and an output coupling comprising an output shell and an output interconnection device, wherein the output shell is electrically and mechanically coupled to the body (fig. 3 items 86, 90, 92, col. 3 lines 30-65, output on logical circuit). Grivna shows the user of a transform coupled to the signal (col. 4 lines 14-18), but fails to specifically state using primary and secondary windings or a body encasing the transformer. Takahashi shows using primary and secondary windings in a transformer (page 8 section 0107, primary and secondary windings) and a body that encases the transformer (fig. 12, items 14(1)-14(7)). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Grivna with primary and secondary windings, as in Takahashi, so that the correct signal was applied to the circuit. Furthermore, although not specifically stated in Grivna, it is expected in the art for transformers to have primary and secondary windings.

Also, Grivna fails to show that the second signal and housing are grounded.

Takahahsi shows grounding signals in order to get rid of noise and produce the correct

Art Unit: 2611

output signal (page 7 sections 0089-0090, 0092-0093). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Grivna with the ability to ground signals as shown in Takahashi so that the correct, undistorted, output signal would be produced.

Although not specifically state in Grivna or Takahashi, Official Notice is taken that it is well known and expected in the art to use a variety of windings ratios, including an equivalent number, in order to produce a desired signal. Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Grivana and Takahashi with the use of equivalent primary and secondary windings so that the adapted signal would be suitable for processing and use.

Regarding Claim 20, Grivna shows that the input interconnection device comprises an input pin (fig. 3 items, 66, 68, 70, 72), wherein the output interconnection device comprises an output receptacle (fig. 3 items 82, 84), wherein the input pin is coupled to the positive connection of the primary side (col. 3 lines 54-65, INA+), and wherein the output receptacle is coupled to the negative connection of the secondary side (col. 3 lines 28-60, supplying both positive and negative, or true and complimented, signals to the multiplexer).

Regarding Claim 23, the limitations of the claim have been discussed with regards to Claim 2.

Regarding Claim 25, Grivna shows an inverting adaptor for DVB-ASI signals to crate an adapted DVB-ASI signal (col. 3 lines 1-65, producing a complimented inverted signal), the inverting adapter comprising transformer (col. 4 lines 14-18), wherein each

Art Unit: 2611

side comprise positive and negative connections (col. 3 lines 54-65, INA+ and INB-, INA- and INB+), whereby polarity of secondary side is opposite polarity of the primary side (col. 3 lines 54-65, INA+ and INB-, INA- and INB+), input coupling adapted accept a DVB-ASI signal and comprising an input shell and an input interconnection device (fig. 3 items 66, 68, 70, 72, col. 3 lines 5-30, input connections), wherein the input shell is electrically and mechanically coupled to the body (fig. 3 item 56, col. 2 lines 65-67, logic circuit), wherein the input pin is coupled to the positive connection of the primary side (col. 3 lines 54-65, INA+), and an output coupling comprising an output shell and an output interconnection device, wherein the output shell is electrically and mechanically coupled to the body (fig. 3 items 86, 90, 92, col. 3 lines 30-65, output on logical circuit). Grivna shows the user of a transform coupled to the signal (col. 4 lines 14-18), but fails to specifically state using primary and secondary windings or a body encasing the transformer. Takahashi shows using primary and secondary windings in a transformer (page 8 section 0107, primary and secondary windings) and a body that encases the transformer (fig. 12, items 14(1)-14(7)). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Grivna with primary and secondary windings, as in Takahashi, so that the correct signal was applied to the circuit. Furthermore, although not specifically stated in Grivna, it is expected in the art for transformers to have primary and secondary windings.

Also, Grivna fails to show that the second signal and housing are grounded.

Takahahsi shows grounding signals in order to get rid of noise and produce the correct output signal (page 7 sections 0089-0090, 0092-0093). Therefore, it would have been

Art Unit: 2611

obvious to one of ordinary skill in the art at the time the invention was made to modify Grivna with the ability to ground signals as shown in Takahashi so that the correct, undistorted, output signal would be produced.

Although not specifically state in Grivna or Takahashi, Official Notice is taken that it is well known and expected in the art to use a variety of windings ratios, including an equivalent number, in order to produce a desired signal. Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Grivana and Takahashi with the use of equivalent primary and secondary windings so that the adapted signal would be suitable for processing and use.

4. Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Grivna (6,385,745) in further view of Takahashi et al (2002/0145661) and Wilkins et al (2004/0133924).

Regarding Claim 21, Both Grivna and Takahashi fail to show using a BNC, or British Naval Connector. Wilkins shows using a BNC in a video distribution system (page 4 section 0082). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Grivna and Takahashi with the ability to use a BNC so that the system could connect to well known and widely used devices and protocols.

### Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Lee et al U.S. Patent No. 6,546,063 discloses an asynchronous clock for adaptive equalization.

Okawa U.S. Patent No. 6,567,988 discloses a video signal transmission apparatus and video signal transmission method.

Lyons et al U.S. Patent No. 6,356,212 discloses a single clock reference for compressed domain processing systems.

Amaral et al U.S. Patent Application Publication No. 2002/0024970 discloses a transmitting MPEG data packets received from a non-constant delay network.

Kobayashi et al U.S. Patent No. 5,754,254 discloses a digital video audio processing apparatus.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher R Nalevanko whose telephone number is 703-305-8093. The examiner can normally be reached on M-F 8-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chris Grant can be reached on 703-305-4755. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Art Unit: 2611

Christopher Nalevanko AU 2611 703-305-8093

cn

HAITRAN PRIMARY EXAMINER

# Notice of References Cited Application/Control No. O9/749,832 Examiner Christopher R Nalevanko Applicant(s)/Patent Under Reexamination ALBRIGHT, BARRY WYNN Art Unit Page 1 of 1

### U.S. PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	Classification
	Α	US-2004/0133924	07-2004	Wilkins et al.	725/135
	В	US-6,385,745	05-2002	Grivna, Edward L.	714/707
	С	US-2002/0145661	10-2002	Takahashi et al.	348/65
	D	US-6,546,063	04-2003	Lee et al.	375/346
	Е	US-6,567,988	05-2003	Okawa, Hiroshi	725/127
	F	US-6,356,212	03-2002	Lyons et al.	341/60
	G	US-2002/0024970	02-2002	Amaral et al.	370/468
	н	US-5,754,254	05-1998	Kobayashi et al.	348/578
	ı	US-			.*
	J	US-			·
	К	US-			
	L	US-			
	М	US-			

### FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	Classification
	N					
	0					
	Р					
	Q					
	R					
	s					
	Т					

### NON-PATENT DOCUMENTS

		HON-LAIL DOCUMENTO
*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)
	υ	
	V	
	w	
	x	

\*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).) Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.

FORM PTO-1449 U.S. DEPA COMMERCE (REV. 7-80) PATENT AND TRADEM											/. Docket No. 00399	Seria	l No. signed	4	s. 1832 1832				
(REV.	7-	80)		PATI	ENT	AND	TRA	DEW	ARL	OFF	ICS			Ullass	rgne				74.8
												Арр	licant						531
												Bar	ry Wynn Albri	ight					υ Γ
NFO										ON			ing Date currently	Group Unas:	signe	d			
J.S. F	PAT	EN	ם דו	OCI	UME	NT	s			_	_	<u></u>	· · · · · · · · · · · · · · · · · · ·					-	
šx. Int				nber			· <u></u>		Dat	е			Name	Class	Sub- clas			ng Dat	
	עג																		
	AF	3														$\rightarrow$			
	AC	:			_			$\perp$							ļ				
	AI	)		_	ļ			_			_					_	·		
	AI	AE		$\perp$				ļ	_										
	AI							<u></u>											
FORE	EIG	N F	ΉΤ	ENT	DO	ÇUI	MEN												
			cum						Dat				Country	Class		Su	b- ass	Tran	s.
						Y		,						HO4N				Yes	No
7/2	AG	9		4	5	7	4				6-4-						00	x	
<i>2</i> 2	AH	9	6	4	5	7	3		_		6-11	-98	EP JP	, in	04N	5/			
) r	AI	1	1	2	3	9	3	0	9		2-23	-98	<b>0</b> P	н	H04N		46	x	
1 ,	ĄJ	1	0	1	9	0	7	6	7		12-2	7-96	JP				9/06	x	
	A.K	9	9	1	2	3	5	3			9-2-	98	WO	H	04N	7/	173	X	
OTHE	R (	(In											Pages, Etc.)						
n i	Mini-Circuits Catalog, "RI pages 192-193.							"RF	Trai	nsformers Wid	eband	12.5	to	1800	ohms	š",			
7	MA																		
	AN														·				
Exami	nei	(	/	2	2	~	$\geq$		$\leq$				Date Considered	3/	24/0	5			
*EXAM	IN	ZR:		MPE	P 60	9,	Drav	# 1i	Lne	thro	ugh (	citat:	whether or not of lon if not in conext communicat:	onforman	ice and	d no	t cor	ance sider	with ed.